



2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Date first issue: 01/08/2008 Review date: 19/10/2020 Supersedes version of: 24/04/2019 Version: 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : 2WORK THICK BLEACH
Product code : 2W03977
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

EVO BUSINESS SUPPLIES LIMITED
1ST FLOOR, 1 EUROPA DRIVE
SHEFFIELD
ENGLAND
S9 1XT
info@evo-group.co.uk

1.4. Emergency telephone number

| Country | Official advisory body | Address | Emergency number | Comment |
|----------------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1 H290
Skin Corr. 1B H314
Eye Dam. 1 H318
Aquatic Acute 1 H400
Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS09

CLP Signal word

: Danger

Contains

: Sodium hypochlorite; Alcohols, ethoxylated, sulfates, sodium salts; Amines, C12-14 (Even numbered) Alkyldimethylamine,-N-Oxides

Hazard statements (CLP)

: H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H318 - Causes serious eye damage.
H410 - Very toxic to aquatic life with long lasting effects.

2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|--------------------------------|--|
| Precautionary statements (CLP) | : P102 - Keep out of reach of children. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves, eye protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P314 - Get medical advice/attention if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P332+P313 - If skin irritation occurs: Get medical advice/attention. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing. |
| EUH-statements | : EUH206 - Warning! Do not use together with other products. May release dangerous gases (chlorine). |

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

| Component | |
|--|---|
| Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-------|---|
| Sodium hypochlorite | (CAS-no) 7681-52-9 (Einecs nr) 231-668-3 (EG annex nr) 017-011-00-1 (REACH-no) 01-2119488154-34 | 3 – 5 | Met. Corr. 1, H290 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) |
| Amines, C12-14 (Even numbered) Alkyldimethylamine,-N-Oxides | (CAS-no) 308062-28-4 (EG annex nr) 931-292-6 (REACH-no) 01-2119490061-47-0000 | 1 – 3 | Acute Tox. 4 (Oral), H302 (ATE=1064 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Alcohols, ethoxylated, sulfates, sodium salts | (CAS-no) 68891-38-3 (Einecs nr) 500-234-8 (REACH-no) 01-2119488639-16 | 1 – 3 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|---|--|--|
| Sodium hypochlorite | (CAS-no) 7681-52-9 (Einecs nr) 231-668-3 (EG annex nr) 017-011-00-1 (REACH-no) 01-2119488154-34 | (5 ≤C ≤ 100) EUH031 |
| Alcohols, ethoxylated, sulfates, sodium salts | (CAS-no) 68891-38-3 (Einecs nr) 500-234-8 (REACH-no) 01-2119488639-16 | (5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------|---|
| General advice | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| Inhalation | : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. |

2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|--------------|---|
| Skin contact | : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. |
| Eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| Ingestion | : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------------------|---|
| Symptoms/effects | : Causes severe skin burns and eye damage. |
| Acute effects inhalation | : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. |
| Acute effects skin | : Causes severe burns. |
| Acute effects eyes | : Causes serious eye damage. |
| Acute effects oral route | : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Blood in vomit. |

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|----------|
| Suitable extinguishing media | : Water. |
|------------------------------|----------|

5.2. Special hazards arising from the substance or mixture

| | |
|--|---|
| Hazardous decomposition products in case of fire | : Corrosive vapours. Toxic fumes may be released. |
|--|---|

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Absorb spillage to prevent material damage. |
|-------------------------|--|

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-----------------------------------|---|
| Additional hazards when processed | : May be corrosive to metals. |
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe dust/fume/gas/mist/vapours/spray. |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|------------------------|--|
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Store in a cool, well-ventilated place. Keep container tightly closed. |
| Incompatible products | : Strong acids. |
| Incompatible materials | : Sources of ignition. Direct sunlight. |
| Packaging materials | : Store in corrosive resistant container with a resistant inner liner. polyethylene. |

7.3. Specific end use(s)

No additional information available

2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure that there is a suitable ventilation system.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---------------------|-------------------|
| Physical state | : Liquid |
| Colour | : Pale yellow. |
| Physical state/form | : Liquid. |
| Odour | : Characteristic. |
| Odour threshold | : Not available |

2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|---|-------------------------|
| Melting point/range | : 0 °C |
| Freezing point | : Not available |
| Boiling point/Boiling range | : 100 °C |
| Flammability | : Non flammable. |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : Not available |
| Autoignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : 12 – 14 |
| Viscosity, kinematic | : Not available |
| Viscosity, dynamic | : 150 – 400 cP at 20 °C |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : Not available |
| Relative density | : 1.08 |
| Relative vapour density at 20 °C | : Not available |
| Particle size | : Not applicable |
| Particle size distribution | : Not applicable |
| Particle shape | : Not applicable |
| Particle aspect ratio | : Not applicable |
| Particle aggregation state | : Not applicable |
| Particle agglomeration state | : Not applicable |
| Particle specific surface area | : Not applicable |
| Particle dustiness | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. metals. May be corrosive to metals.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Sodium hypochlorite (7681-52-9)

| | |
|--------------------|--------------|
| LD50 oral rat | > 2000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |

2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)

| | |
|-----------------|-----------------------|
| LD50 oral rat | > 4100 mg/kg OCDE 401 |
| LD50 dermal rat | > 2000 mg/kg OCDE 402 |

Amines, C12-14 (Even numbered) Alkyldimethylamine,-N-Oxides (308062-28-4)

| | |
|-----------------|--------------|
| LD50 oral rat | 1064 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes severe skin burns. pH: 12 – 14 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: 12 – 14 |
| Respiratory or skin sensitisation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Reproductive toxicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2 Other information

| | |
|---|--|
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met |
|---|--|

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|--|
| Ecology - water | : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Very toxic to aquatic life. |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |

Sodium hypochlorite (7681-52-9)

| | |
|------------------------------------|---|
| LC50 - Fish [1] | 0.06 mg/l (fresh water) |
| LC50 - Fish [2] | 0.032 mg/l (marine water) |
| EC50 - Crustacea [1] | 0.141 mg/l (Daphnia magna - fresh water) |
| EC50 - Other aquatic organisms [1] | 0.026 mg/l (Crassostrea virginica - marine water) |

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)

| | |
|----------------------|---|
| LC50 - Fish [1] | 7.1 mg/l OECD 203 |
| EC50 - Crustacea [1] | 7.4 mg/l OECD 202 Daphnia sp. Acute Immobilization Test and Reproduction Test |

2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|----------------------|---|
| EC50 72h - Algae [1] | 27.7 mg/l |
| ErC50 algae | 27.7 mg/l OECD 201 Alga, Growth Inhibition Test |
| NOEC chronic algae | 0.95 mg/l OECD 201 Alga, Growth Inhibition Test |

Amines, C12-14 (Even numbered) Alkyldimethylamine,-N-Oxides (308062-28-4)

| | |
|----------------------|------------------|
| LC50 - Fish [1] | 2.67 – 3.46 mg/l |
| EC50 - Crustacea [1] | 3.1 mg/l |
| ErC50 algae | 0.14 mg/l 72H |

12.2. Persistence and degradability

THICK BLEACH

| | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---|

Sodium hypochlorite (7681-52-9)

| | |
|-------------------------------|---|
| Persistence and degradability | Strong oxidizing agent. It will react with organic substances present in soil and sediments and degrades rapidly to chloride. Sodium hypochlorite is substantially removed in biological treatment processes. |
|-------------------------------|---|

Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3)

| | |
|-------------------------------|----------------|
| Persistence and degradability | Biodegradable. |
|-------------------------------|----------------|

12.3. Bioaccumulative potential

THICK BLEACH

| | |
|---------------------------|---------------------|
| Bioaccumulative potential | No bioaccumulation. |
|---------------------------|---------------------|

Sodium hypochlorite (7681-52-9)

| | |
|---------------------------|---------------------------|
| Bioaccumulative potential | Bioaccumulation unlikely. |
|---------------------------|---------------------------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

THICK BLEACH

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

| | |
|--|---|
| Alcohols, ethoxylated, sulfates, sodium salts (68891-38-3) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
|--|---|

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Waste / unused products : Avoid release to the environment.

SECTION 14: Transport information




In accordance with ADR / IMDG / IATA

| ADR | IMDG | IATA |
|-------------------------------------|---------|---------|
| 14.1. UN number or ID number | | |
| UN 1760 | UN 1760 | UN 1760 |

2WORK THICK BLEACH


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | | |
|--|---|---|
| 14.2. UN proper shipping name | | |
| CORROSIVE LIQUID, N.O.S. | CORROSIVE LIQUID, N.O.S. | Corrosive liquid, n.o.s. |
| Transport document description | | |
| UN 1760 CORROSIVE LIQUID, N.O.S. (Sodium hypochlorite), 8, III, (E), ENVIRONMENTALLY HAZARDOUS | UN 1760 CORROSIVE LIQUID, N.O.S. (Sodium hypochlorite), 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS | UN 1760 Corrosive liquid, n.o.s. (Sodium hypochlorite), 8, III, ENVIRONMENTALLY HAZARDOUS |
| 14.3. Transport hazard class(es) | | |
| 8 | 8 | 8 |
|  |  |  |
| 14.4. Packing group | | |
| III | III | III |
| 14.5. Environmental hazards | | |
| Dangerous for the environment : Yes | Dangerous for the environment : Yes Marine pollutant : Yes | Dangerous for the environment : Yes |
| No supplementary information available | | |

14.6. Special precautions for user

Overland transport

| | |
|---|---|
| Classification code (ADR) | : C9 |
| Special provisions (ADR) | : 274 |
| Limited quantities (ADR) | : 5I |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T7 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP28 |
| Tank code (ADR) | : L4BN |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Hazard identification number (Kemler No.) | : 80 |
| Orange plates | :  |

| | |
|-------------|------|
| Tunnel code | : E |
| EAC code | : 2X |
| APP code | : B |

Transport by sea

| | |
|---------------------------------|--------------|
| Special provisions (IMDG) | : 223, 274 |
| Limited quantities (IMDG) | : 5 L |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |

Air transport

| | |
|--|--------|
| PCA Limited quantities (IATA) | : Y841 |
| PCA limited quantity max net quantity (IATA) | : 1L |
| PCA packing instructions (IATA) | : 852 |
| PCA max net quantity (IATA) | : 5L |
| CAO packing instructions (IATA) | : 856 |

2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3, A803

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:

| Component | % |
|--|-----|
| chlorine-based bleaching agents, anionic surfactants | <5% |

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| EUH031 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Met. Corr. 1 | Corrosive to metals, Category 1 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH206 | Warning! Do not use together with other products. May release dangerous gases (chlorine). |

2WORK THICK BLEACH

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | | |
|-------------------|------|--------------------|
| Met. Corr. 1 | H290 | Calculation method |
| Skin Corr. 1B | H314 | Expert judgment |
| Eye Dam. 1 | H318 | Expert judgment |
| Aquatic Acute 1 | H400 | Calculation method |
| Aquatic Chronic 2 | H411 | Expert judgment |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.